



Extension Table Phoenix Frame

Your Extension table for the Phoenix Frame comes with the table and two brackets to hold the table to the machine. These instruction will help you get the table ready and the brackets in place so that you can attach the table and start using your rulers.

1. As you unpack your table you will find four screws for securing the table to the brackets and two brackets one for each side of the machine.

2. Placing the brackets on the carriage next to the machine.
 - a. Loosen the front screws holding the carriage to the machine.
 - b. Looking at the brackets you will see four tabs
 1. Two tabs have nuts attached to the bottom this is the top of bracket attach to bottom of table
 2. Two tabs are blank these slid under the side of the machine.
 - c. Angle the bracket towards the back of the machine and slide between the machine and the carriage.
 - d. With the tab below the side of the machine slide the bracket forward so that you can get the front tab below the machine.
 - e. Slide the bracket back so that both bottom tabs are below the machine.




3. Setting the table on and securing to the brackets.

a. Place the table on top of the brackets and line up the screw holes with the top tabs.

b. Using the screws you removed from the table in step 1. Secure the table to the brackets at the four (4) points.

c. Once the screws are secure slide the table and brackets back so that the table is against the machine.


d. Tighten the front screws on the carriage which secure the machine to the carriage.



You are now ready to use the extension table with your rulers while you are quilting.

To remove you will want to reverse the steps and remove the table first then the brackets.

Note: If you remove the machine first the table will fall as it is not attached to the machine.



Attaching your Extension Table to your Machine



Along with your Extension table you will receive these instructions and some brackets that hold the table to your machine. These instructions will help you set this up. Figure 1 shows the bracket




Figure 1

Step 1. Unpack your table and parts.

Step 2. You will have the table, four screws, and the two brackets. See figure 2

Step 3. Place the brackets on your carriage and slide them under the edge of your machine. See figure 3



Figure 2

Step 4. Once you have the brackets where you feel they should be, lay the table on top of the brackets. If the table is in the right place then proceed to step 5. If not readjust the brackets to where they need to be. See figure 4




Figure 3

Step 5. Once the table is in the right place you will want to attach the four (4) screws to hold the table in place. See Figure 5




Figure 4

To remove the table from your machine follow these instructions.

Step 1. Remove the four (4) screws from the table.

Step 2. Remove the table

Step 3. Store the table and screws in a safe place. If you need to remove the brackets from the side of the machine follow step 4. If you can leave the brackets on your done.

Step 4. If you are removing the brackets slide them out from the sides of the machines and store them with the table so that you can find them when you are ready to put the table back on.



Figure 5

Placing your Extension table on the wood frame

Same as placing on the metal frame so follow those steps and review these photos.



One bracket on both sides of the machine.

Remember to use the four screws provided with the table to secure to the brackets so that you have a smooth surface to work with.