

Cover style Handbag

Size 35×43 cm $(14" \times 17")$

You need:

- 50 cm (20") 90 cm (36")
- Light yellow fabric Yellow silk fabric(for bias strips and lining)
- 50 cm (20") Fusible Interfacing
- Yellow sewing thread
- Heavy yellow sewing thread (30wt)
- 4 spools yellow overlook thread

- 2 handles
- Tracing paper
- Rotary cutter, cutting mat and ruler
- Pfaff cover style
- Gathering/shirring Foot G 820318-096
- Strap and Belt loop foot L 820313-096

1 Cutting

1.5 cm (5/8") seam allowance included

Light yellow fabric: 2 pieces-see pattern 1 Yellow silk fabric: 8 pieces-2.5 cm x 45 cm

> (1" x 18"), on the bias. 2 pieces-see pattern 1 2 pieces-see pattern 2

Fusible interfacing: 2 pieces - see pattern 1

2 pieces - see pattern 2

2 Sewing

 Refer to the layout design of the handbag. Transfer the placement of the bias strips, on the front piece of the handbag, use the tracing papper.

Strap and belt Loop Foot L:



The strap and belt loop Foot is used to create straps and belt loops with a cover stitch. When properly positioned into the strap and Belt Loop Foot L, the bias tape is folded under automatically.

- Set the machine for a 2 needle cover stitch 5mm (1/4")
- To achieve a decorative effect thread the looper with regular overlock thread and the needles with heavy thread
- Insert cut angle of bias strip into Strap and Belt Loop Foot L: Pull the bias strip under and extend it behind the foot.
- Attach the Strap and Belt Loop Foot L to the Cover style 4852.
- Sew the first few stitches. Clip the needle and looper thread near the presser foot.
 Sew at medium speed. Continue sewing, checking the fabric as you sew to ensure proper feeding.
- Sew the stripes directly on the handbag, refer to the layout design.
- Sew the side seam on the handbag and lining. Leave them open 14 cm (5 1/2")

from the upper edge. Press the side seam open. Place the handbag and the lining right side together. Sew the 14cm (5 1/2") side seams. Leave top edge open. Turn the handbag inside out and press. Thread the cover style for a 4 thread over edge stitch using 4 spools of matching overlook thread. Sew a 4 thread over edge seam along the upper edge, make sure that you are catching both the fabric and lining.

Gathering/shirring Foot G:





The gathering/ shirring foot is perfect for simultaneously stitching and gathering two layers of fabric, or one layer of fabric. You can increase the gathering by setting a higher differential feed and adjusting the stitch length.

- Set the cover style for a 4-thread over edge stitch. Set the Differential feed to 2 and the tension settings to 8 for both needle threads and normal tension for both looper threads.
- Snap on the Gathering foot G
- Insert the upper edge of the handbag right side down into the opening of the Gathering foot G.
- Lower the presser foot and sew.
- Gather the front and back piece of the handbag, to 20 cm (8")
- Take the two pieces of silk fabric, pattern 2.
 Fold it right side together, pin the sides.
- Sew the sides and turn it inside out. Repeat on the other piece.
- Pin the two pieces (pattern 2) right sides together with the handbag (pattern 1) and serge together with a 4 thread over edge stitch. Place the handles inside the piece and fold it around. Fasten it with some stitches by hand. Repeat this on the other side.

Finished!

| Pattern 2 Cut: Silk fabric, 2 pieces Fusible interfacing, 2 pieces | | |
|--|---|--------|
| 14 cm (5,5") | | |
| | | |
| Pattern 1 1,5 cm (5/8") seem allowance included Cut: Light yellow fabric, 2 pieces Silk fabric, 2 pieces Fusible interfacing, 2 pieces | | |
| | | \neg |
| | | |
| | 8 | |





| | | 4 |
|--------|---------------|-------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Gather | | |
| O | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 14 cm (5,5") | |
| | 14 cm (5,5") | |